

Drupal7

- [AMP](#) [conf](#)
- [Drupal7 Optimizing](#)
- [Views PHP](#)

--	--	--

--	--	--	--	--	--	--

[illegible]

amp

[illegible]

drupal cookie ?

```
fastcgi cache path /etc/nginx/cache levels=1:2 keys zone=tainanoutlook:200m max size=10g inactive=2h
```

```
use_temp_path=off;
```

```
fastcgi cache key "$scheme$request_method$host$request_uri";
```

fastcgi ignore headers Cache-Control Expires Set-Cookie;

```
set $skip_cache 1;
```

```
if ($request_uri ~* "/*?amp") {
```

```
set $skip_cache 0;
```

}

```
include snippets/fastcgi-php.conf;
```

```
fastcgi cache tainanoutook;
```

```
fastcgi cache valid 200 301 302 2h;
```

```
fastcgi cache use stale error timeout updating invalid header http 500 http 503;
```

```
fastcgi_cache_min_uses 1;
```


```
fastcgi_cache_lock on;
```

```
fastcgi cache bypass $skip cache;
```

```
fastcgi no cache $skip cache;
```

```
add_header X-FastCGI-Cache $upstream_cache_status;
```

Drupal7 Optimizing

 chained_fast apcu registry_autoload xautoload

```
drush en chained_fast apcu registry_autoload xautoload expire -y
```

```
vi sites/default/settings.php
```

```
$conf['cache_backends'][] = 'sites/all/modules/apcu/apcu.cache.inc';
$conf['cache_backends'][] = 'sites/all/modules/chained_fast/chained_fast.cache.inc';

// Chained fast configuration.
$conf['chained_fast']['fast_backend'] = 'DrupalAPCuCache';

// Cache class configuration - This uses chained_fast for all caches except the form cache. This might not be
suitable for all sites, but is a good default.
$conf['cache_default_class'] = 'ChainedFastBackend';
$conf['cache_class_cache_form'] = 'DrupalDatabaseCache';
```

admin/config/development/performance 







 CSS 

 JavaScript 

Self-updating APCu classmap (*) (Running and available)

APC (Running and available)

APCu (Running and available)

XCache (Not currently available)

Self-updating database classmap (*) (Running and available)


Postpone registration of module namespaces until the first cache miss (recommended)

Replace core class loader.

expire (Cache Expiration) 

Status of implementation  Internal expiration

Modules that support external expiration  Include base URL in expires

Node expiration Node actions 

PS. 



Drupal

Views PHP

Drupal 7 [views_php](https://www.drupal.org/project/views_php) https://www.drupal.org/project/views_php

`field_dow`

```
<?php
//  $data 
$field_dow = $data->_field_data['nid']['entity']->field_dow['und'];

//  [field_dow] 
$dow_values = array_map(function($item) {
    return $item['value'];
}, $field_dow);

// 
echo implode(' ', $dow_values);
?>
```

`field_dow` 1 7 `field_dow`

```
<?php
//  $data 
$field_dow = $data->_field_data['nid']['entity']->field_dow['und'];

// 
$weekdays = [
    1 => ' ',
    2 => ' ',
    3 => ' ',
    4 => ' ',
    5 => ' ',
    6 => ' ',
    7 => ' ',
];

//  [field_dow] 
```

```
$dow_names = array_map(function($item) use ($weekdays) {
    return $weekdays[$item['value']];
}, $field_dow);

// 日 一 二 三 四 五 六

echo implode(' ', $dow_names);

?>
```

[illegible]

Views Day of Week (views_dow)

