


Drupal7 Optimizing

 chained_fast apcu registry_autoload xautoload

```
drush en chained_fast apcu registry_autoload xautoload expire -y
```

```
vi sites/default/settings.php
```

```
$conf['cache_backends'][] = 'sites/all/modules/apcu/apcu.cache.inc';
$conf['cache_backends'][] = 'sites/all/modules/chained_fast/chained_fast.cache.inc';

// Chained fast configuration.
$conf['chained_fast']['fast_backend'] = 'DrupalAPCuCache';

// Cache class configuration - This uses chained_fast for all caches except the form cache. This might not be
suitable for all sites, but is a good default.
$conf['cache_default_class'] = 'ChainedFastBackend';
$conf['cache_class_cache_form'] = 'DrupalDatabaseCache';
```

admin/config/development/performance 







 CSS 

 JavaScript 

Self-updating APCu classmap (*) (Running and available)

APC (Running and available)

APCu (Running and available)

XCache (Not currently available)

Self-updating database classmap (*) (Running and available)

Postpone registration of module namespaces until the first cache miss (recommended)

Replace core class loader.

expire (Cache Expiration) 

Status of implementation  Internal expiration

Modules that support external expiration  Include base URL in expires

Node expiration Node actions 

PS. 

Drupal



#1

□ tainan □□ 13 □ 2024 00:07:32

□ tainan □□ 13 □ 2024 00:26:26