

WordPress Nginx

```
server {  
    ## Your website name goes here.  
    server_name site.com;  
    ## Your only path reference.  
    root /var/www/site;  
    ## This should be in your http block and if it is, it's not needed here.  
    index index.php;  
    client_max_body_size 100M;  
    location = /favicon.ico {  
        log_not_found off;  
        access_log off;  
    }  
  
    location = /robots.txt {  
        allow all;  
        log_not_found off;  
        access_log off;  
    }  
  
    location / {  
        # This is cool because no php is touched for static content.  
        # include the "?$args" part so non-default permalinks doesn't break when using query string  
        try_files $uri $uri/ /index.php?$args;  
    }  
  
    location ~ \.php$ {  
        #NOTE: You should have "cgi.fix_pathinfo = 0;" in php.ini  
        include fastcgi_params;  
        fastcgi_intercept_errors on;  
        fastcgi_pass unix:/var/run/php/php8.2-fpm.sock;  
        #The following parameter can be also included in fastcgi_params file  
        fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;  
    }  
  
    location ~* \.(js|css|png|jpg|jpeg|gif|ico)$ {
```

```

        expires max;
        log_not_found off;
    }

}

```

fastcgi_pass unix:/var/run/php/php8.2-fpm.sock; [] [] [] [] [] [] [] [] [] []

[] [] [] [] [] []

```

server {
    ## Your website name goes here.
    server_name site.com;
    ## Your only path reference.
    root /var/www/site;
    ## This should be in your http block and if it is, it's not needed here.
    index index.php;
    client_max_body_size 20M;

    location = /favicon.ico {
        log_not_found off;
        access_log off;
    }

    location = /robots.txt {
        allow all;
        log_not_found off;
        access_log off;
    }

    location / {
        # This is cool because no php is touched for static content.
        # include the "?$args" part so non-default permalinks doesn't break when using query string
        try_files $uri $uri/ /index.php?$args;
    }

    # Add trailing slash to */wp-admin requests.
    rewrite /wp-admin$ $scheme://$host$uri/ permanent;
}

```

```

# Pass uploaded files to wp-includes/ms-files.php.
rewrite /files/$ /index.php last;

if ($uri !~ wp-content/plugins) {
    rewrite /files/(.+)$ /wp-includes/ms-files.php?file=$1 last;
}

# Rewrite multisite '.../wp-.*' and '.../*.php'.
if (!-e $request_filename) {
    rewrite ^/[_0-9a-zA-Z-]+(/wp-.*$) $1 last;
    rewrite ^/[_0-9a-zA-Z-]+.*/wp-admin/.*/.php$ $1 last;
    rewrite ^/[_0-9a-zA-Z-]+(/.*/.php)$ $1 last;
}

location ~ /\.php$ {
    #NOTE: You should have "cgi.fix_pathinfo = 0;" in php.ini
    fastcgi_pass unix:/var/run/php/php7.4-fpm.sock;
    include fastcgi_params;
    fastcgi_intercept_errors on;
    #The following parameter can be also included in fastcgi_params file
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
}

location ~* \.(js|css|png|jpg|jpeg|gif|ico)$ {
    expires max;
    log_not_found off;
}

}

```

Nginx

#4

tainan 6 2024 06:29:09

tainan 13 2024 00:35:41